BANKA®

LATHE & TOOL ROOM MACHINES · RAJKOT, INDIA · SINCE 1977

PRODUCT SUMMARY

REFERENCE	**BM-261102-0666**
DATE	**02 Nov 2026**
PRICES VALID UNTIL	**09 Nov 2026**

TOOLS

Addison 0.30

7.00 MM HSS PARALLEL SHANK TWIST DRILLS

High Speed Steel (HSS) drill bit designed for drilling holes in common engineering metals and other suitable materials. The cutting geometry and hardness of HSS provide reliable performance for general workshop drilling.

PRICE (EXCLUDING GST)

Rs. 80

Rs. 94.40 including 18% GST

Price summary

Current price on ravimachines.com as on 02 Nov 2026.

#	DESCRIPTION	QTY	UNIT PRICE	AMOUNT
1	**Addison 0.30 - 7.00 mm HSS Parallel Shank Twist Drills** View product details online	1	Rs. 80	**Rs. 80**

Sub-total	Rs. 80
GST @ 18%	Rs. 14.40
Grand total	**Rs. 94.40**

Rupees Ninety Four Only

Features

- HSS cutting material
- High hardness and wear resistance
- Suitable for general-purpose drilling
- Precision-ground cutting edges

- Compatible with drilling machines and suitable hand tools
- Available in multiple diameters and lengths

Specifications

Name	Diameter	Working Length	Total Length	Material	Grade	Series	Pack Quantity
Addison 1.00 x 34 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	1.00 mm	12 mm	34 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 1.10 x 36 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	1.10 mm	14 mm	36 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 1.20 x 38 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	1.20 mm	16 mm	38 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 1.30 x 38 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	1.30 mm	16 mm	38 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 1.40 x 40 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	1.40 mm	18 mm	40 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 1.50 x 40 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	1.50 mm	18 mm	40 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 1.60 x 43 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	1.60 mm	20 mm	43 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 1.70 x 43 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	1.70 mm	20 mm	43 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 1.80 x 46 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	1.80 mm	22 mm	46 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 1.90 x 46 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	1.90 mm	22 mm	46 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 2.00 x 49 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	2.00 mm	24 mm	49 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 2.10 x 49 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	2.10 mm	24 mm	49 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 2.20 x 53 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	2.20 mm	27 mm	53 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 2.30 x 53 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	2.30 mm	27 mm	53 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 2.40 x 57 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	2.40 mm	30 mm	57 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 2.50 x 57 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	2.50 mm	30 mm	57 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs

Addison 2.60 x 57 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	2.60 mm	30 mm	57 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 2.70 x 61 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	2.70 mm	33 mm	61 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 2.80 x 61 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	2.80 mm	33 mm	61 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 2.90 x 61 mm Dia. HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	2.90 mm	33 mm	61 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 3.00 x 61 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	3.00 mm	33 mm	61 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 3.10 x 65 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	3.10 mm	36 mm	65 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 3.20 x 65 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	3.20 mm	36 mm	65 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 3.30 x 65 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	3.30 mm	36 mm	65 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 3.40 x 70 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	3.40 mm	39 mm	70 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 3.50 x 70 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	3.50 mm	39 mm	70 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 3.60 x 70 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	3.60 mm	39 mm	70 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 3.70 x 70 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	3.70 mm	39 mm	70 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 3.80 x 75 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	3.80 mm	43 mm	75 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 3.90 x 75 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	3.90 mm	43 mm	75 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 4.00 x 75 mm HSS Parallel Shank Twist Drills (Pack of 10 Pcs)	4.00 mm	43 mm	75 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	10 Pcs
Addison 4.10 x 75 mm HSS Parallel Shank Twist Drills	4.10 mm	43 mm	75 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 4.20 x 75 mm HSS Parallel Shank Twist Drills	4.20 mm	43 mm	75 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 4.30 x 80 mm HSS Parallel Shank Twist Drills	4.30 mm	47 mm	80 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 4.40 x 80 mm HSS Parallel Shank Twist Drills	4.40 mm	47 mm	80 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc

Addison 4.50 x 80 mm HSS Parallel Shank Twist Drills	4.50 mm	47 mm	80 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 4.60 x 80 mm HSS Parallel Shank Twist Drills	4.60 mm	47 mm	80 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 4.70 x 80 mm HSS Parallel Shank Twist Drills	4.70 mm	47 mm	80 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 4.80 x 86 mm HSS Parallel Shank Twist Drills	4.80 mm	52 mm	86 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 4.90 x 86 mm HSS Parallel Shank Twist Drills	4.90 mm	52 mm	86 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 5.00 x 86 mm HSS Parallel Shank Twist Drills	5.00 mm	52 mm	86 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 5.10 x 86 mm HSS Parallel Shank Twist Drills	5.10 mm	52 mm	86 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 5.20 x 86 mm HSS Parallel Shank Twist Drills	5.20 mm	52 mm	86 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 5.30 x 86 mm HSS Parallel Shank Twist Drills	5.30 mm	52 mm	86 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 5.40 x 93 mm HSS Parallel Shank Twist Drills	5.40 mm	57 mm	93 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 5.50 x 93 mm HSS Parallel Shank Twist Drills	5.50 mm	57 mm	93 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 5.60 x 93 mm HSS Parallel Shank Twist Drills	5.60 mm	57 mm	93 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 5.70 x 93 mm HSS Parallel Shank Twist Drills	5.70 mm	57 mm	93 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 5.80 x 93 mm HSS Parallel Shank Twist Drills	5.80 mm	57 mm	93 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 5.90 x 93 mm HSS Parallel Shank Twist Drills	5.90 mm	57 mm	93 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 6.00 x 93 mm HSS Parallel Shank Twist Drills	6.00 mm	57 mm	93 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 6.10 x 101 mm HSS Parallel Shank Twist Drills	6.10 mm	63 mm	101 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 6.20 x 101 mm HSS Parallel Shank Twist Drills	6.20 mm	63 mm	101 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 6.30 x 101 mm HSS Parallel Shank Twist Drills	6.30 mm	63 mm	101 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 6.40 x 101 mm HSS Parallel Shank Twist Drills	6.40 mm	63 mm	101 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc

Addison 6.50 x 101 mm HSS Parallel Shank Twist Drills	6.50 mm	63 mm	101 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 6.60 x 101 mm HSS Parallel Shank Twist Drills	6.60 mm	63 mm	101 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 6.70 x 101 mm HSS Parallel Shank Twist Drills	6.70 mm	63 mm	101 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 6.80 x 109 mm HSS Parallel Shank Twist Drills	6.80 mm	69 mm	109 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 6.90 x 109 mm HSS Parallel Shank Twist Drills	6.90 mm	69 mm	109 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc
Addison 7.00 x 109 mm HSS Parallel Shank Twist Drills	7.00 mm	69 mm	109 mm	High Speed Steel (HSS)	IS 5101 - 1991	Jobber Series	1 Pc

Description

Overview

High Speed Steel (HSS) drill bit designed for drilling holes in common engineering metals and other suitable materials. The cutting geometry and hardness of HSS provide reliable performance for general workshop drilling.

Common Uses

Used for drilling holes in mild steel, alloy steel and other suitable engineering materials, subject to the bit grade, diameter, speed and feed.

Similar machines you may consider

Compare models in the same range. Prices exclude GST.

Pin Punches

Rs. 80

View details →

Centre Gauge

Rs. 82

View details →

Clamping Stud with Slot

Rs. 78

View details →

Totem Metric Standard Thread Carbon Steel Round...

Rs. 76

View details →

The Banka promise

3-Year Warranty
Against manufacturing defects in major components.

Transit Damage Covered
Full responsibility for transport damage; safe packing free.

Fast Delivery
Ready-stock delivery across India in about 10 days.

Video-Call Support
Free start-up demo and quick remote technical help.

Terms & conditions

- All prices are in Indian Rupees and exclude GST; GST @ 18% is extra.
- Price validity: 7 days from the date of issue. Prices are taken live from ravimachines.com on that date.
- Warranty: 3-year warranty against manufacturing defects.
- Delivery: Free delivery, subject to Banka Machines' confirmation.
- Ready stock: 100% advance payment before dispatch; dispatched within 2 working days of full payment.
- Made to order: 50% advance on purchase order confirmation and 50% before dispatch.
- Accessory prices are standard catalogue prices; size-specific items (chucks, motors) are confirmed with your order.

Ready to order or need a custom quote?

Banka Machines - 2, Samrat Industrial Area, Near Gokuldham Gate, Gondal Road,
Rajkot, Gujarat, India 360004 · GSTIN 24ABGPR6633P1Z2

+91 9377093780
sales@bankaindia.com
www.ravimachines.com